STATE OF NEW MEXICO WATER QUALITY CONTROL COMMISSION

IN THE MATTER OF PROPOSED AMENDMENTS TO 20.6.2, THE COPPER MINE RULE,

No. WQCC 12-01(R)

New Mexico Environment Department, Petitioner.

SUPPLEMENT IN SUPPORT OF ATTORNEY GENERAL'S RESPONSE TO FMI'S MOTION TO WITHDRAW TESTIMONY AND FILE SUBSTITUTE TESIMONY

Freeport-McMoRan, Inc.'s ("FMI") moves for leave to withdraw the original direct testimony of John Brack¹, and to file "condensed" testimony. In its motion, FMI states that it "will not submit any new information" in the substitute testimony; it reaffirmed that new testimony had not been added in the substitute. FMI Mot., p. 1; FMI Resp., p. 2.

When FMI filed its substitute testimony on March 22, 2013, it did not submit a redlined/strikeout of the original testimony so that the Hearing Officer and the parties would know with certainty the differences between the two sets of testimony. As counsel for the Attorney General began to try to compare the two sets of testimony, it became apparent that it was a very difficult task to do because of the numerous changes between the original and substitute testimony. On March 27, counsel for the Attorney General requested from FMI counsel a redlined/strikeout of the original testimony showing the changes, however FMI would not provide one.

Attached as Exhibit A is a handwritten redlined/strikeout comparing the original and substitute testimony. The redlined/strikeout was prepared on the original testimony, and shows additions and deletions that appear in the substitute testimony in red.

¹ Mr. Brack is President of Freeport-McMoRan Chino Mines Company and Freeport-McMoRan Cobre Mining Company, and Vice-President of Freeport-McMoRan Tyrone Inc.

The redlined/strikeout shows that FMI made *substantial* editorial and substantive changes in the substitute testimony. FMI has essentially rewritten Mr. Brack's testimony, and filed it one month after the due date.

FMI's deletions, as well as its additions, change the substance and the tone of the testimony. Indeed, many of the deletions to "condense" the testimony are highly substantive. As one example of substantive changes to the testimony, in his original testimony, Mr. Brack has an ongoing discussion regarding the "politics" of the New Mexico regulatory process, and the need to take the "political risk" out of the State's permitting process. See Ex. A, pp. 3, 4, 5, 6, 19-20. For example, on page 4 of the original testimony, Mr. Brack states that, "Consequently mine operators currently are subject to an informal and subjective process that can and has been changed during different administrations based entirely on internal policy changes." This statement is deleted, and substituted is, "The goal of the Proposed Rules, from my perspective, is to provide that reasonable degree of certainty by providing clear, specific and objective guidance." Ex. A, p. 4. As another example, in Mr. Brack's original testimony he states, "Under the current rules, even if informal agreements are reached with the Environment Department regarding the anticipated requirements, at any point during this uncertain process, the acting administration could potentially delay the process of stop it completely." Ex. A, p. 5. Substituted for that statement is, "In a worst case scenario, the mine developer would have spent tens of millions of dollars on a potential project that is not able to move forward because of a regulatory change in philosophy about which the mine developer had no advance notice." Ex. A, p. 5 [new material underlined]. As another example, in his original testimony Mr. Brack stated, "In its current form, the permitting process is constantly in flux, subject to an ever-changing

political landscape with changing politics. The resulting uncertainty makes investment in New Mexico relatively risky." Ex. A, p. 6. In Mr. Brack's substitute testimony, the first sentence just quoted is deleted, and the second sentence reads, "This makes investment in New Mexico relatively risky", referring back to the need for "reasonable regulatory certainty." Ex. A., p. 6. In his substitute testimony, deleted is Mr. Brack's plea for the Commission to "take the politics out of the process," to a more objective statement. See Ex. A, p. 6. In discussing risk, Mr. Brack's original testimony included a section on "POLITICAL RISKS," which has been changed to "REGULATORY RISKS," Ex. A, p. 18, and that section revised to tone down the criticism of the "politics" in New Mexico. For example, deleted is the claim that, "Regulating through variances and depending on receiving them, when they are subject to the whims of every changing administrations that can be and often are highly influenced by outside entities, are not an effective way to provide certain and foster long term investment to occur," to "Regulating through variances and depending on receiving them through the exercise of nearly complete discretion by regulators, even the most well-intentioned, is not an effective way to foster long term investment in the copper mining industry." Ex. A, pp. 19-20.

It is not only additions that change the substance of testimony, it is also the deletions.

FMI apparently viewed as improvident some of the language in Mr. Brack's original testimony, and set about to change it. The changes are not wholly neutral, and do not simply "condense" his testimony, as a close reading of the changes demonstrates.

The Commission's Procedural Order requires that FMI's substitute testimony be denied.

The order states, quite clearly, that "The Hearing Officer *shall* enforce Section 302.A through the exclusion of technical testimony or exhibits, as applicable." Procedural Order, § 302.C. Section

302.A sets forth the February 22 deadline for filing technical testimony. If FMI is permitted to file this substitute testimony, with so many changes one month late, the deadline for filing technical testimony has no meaning.

FMI does not get a "do over" with testimony that was within its complete control to prepare in the first instance – and that was signed by Mr. Brack and attached to a pleading signed by counsel. Certainly, given an extra month, likely all parties could have improved upon and refined their experts' testimony. Refining, adding to, and deleting from the testimony due February 22 is not permitted by the Procedural Order, has not been allowed by past practice of the Water Quality Control Commission, and would be fundamentally unfair to the other parties.

The Attorney General is prejudiced by the late-filed testimony on at least three counts:

- The opportunity for filing rebuttal testimony has passed, and there is no time to
 prepare rebuttal at this point. Simply because rebuttal was not filed in response to
 Mr. Brack's original testimony, does not mean rebuttal would not have been filed
 in response to the substitute testimony.
- The time for the other parties to prepare cross-examination of Mr. Brack's testimony has been reduced by one month.
- The other parties do not have the same opportunity to refine, change and improve upon their direct testimony.

While the other parties are prejudiced, they should not have to show actual prejudice in order for the late-filed substitute testimony not to come in. The Procedural Order is clear that direct testimony was to be filed by February 22. Mr. Brack's substitute testimony represents a wholesale re-write of his original testimony, with changes in substance and tone, and may not be

introduced at this late date, consistent with the clear requirements of the Procedural Order and fairness to the other parties.

Respectfully submitted,

GARY KING ATTORNEY GENERAL OF NEW MEXICO

Tannis L. Fox

Assistant Attorney General Water, Environmental and Utilities Division Office of the New Mexico Attorney General P.O. Box 1508 Santa Fe, New Mexico 87504 T 505.827.6695 / F 505.827.4444 tfox@nmag.gov

Counsel for the Attorney General

Certificate of Service

I certify that the following were served with the foregoing pleading by email on March 29, 2013:

Andrew Knight
Kathryn Becker
Assistant General Counsels
Office of General Counsel
New Mexico Environment Department
P.O. Box 5469
Santa Fe, New Mexico 87502-5469

Dalva Moellenberg Anthony J. Trujillo Gallagher and Kennedy, P.A. 1233 Paseo de Peralta Santa Fe, New Mexico 87501-2758 Bruce Frederick Staff Attorney New Mexico Environmental Law Center 1405 Luisa Street, #5 Santa Fe, New Mexico 87505-4074

Tracy Hughes
High Desert Energy + Environment Law Partners, L.L.C.
P.O. Box 8201
Santa Fe, New Mexico 87504

Louis W. Rose Montgomery & Andrews, P.A. P.O. Box 2307 Santa Fe, New Mexico 87504-2307

John J. Indall Comeau, Maldegen, Templeman & Indall LLP P.O. Box 669 Santa Fe, New Mexico 87504-0669

William C. Olson 14 Cosmic Way Lamy, New Mexico 87540

Sean Cunniff
Assistant Attorney General
Civil Division
Office of the New Mexico Attorney General
P.O. Box 1508
Santa Fe, New Mexico 87504

Tannis L. Fox

TCEFOX

Original

STATE OF NEW MEXICO BEFORE THE WATER QUALITY CONTROL COMMISSION

In the Matter of:	
PROPOSED AMENDMENT) TO 20.6.2 NMAC (Copper Rule)	No. WQCC 12-01(R)
)	

WRITTEN TESTIMONY OF JOHN BRACK

1. <u>INTRODUCTION</u>

My name is John Brack. I am currently President of Freeport-McMoRan Chino Mines Company, President of Freeport-McMoRan Cobre Mining Company, and Vice-President of Freeport-McMoRan Tyrone Inc. (collectively, Freeport-McMoRan), all of which are copper mines located in New Mexico. I have held similar positions at Other Copper mines

Freeport-McMoRan Americas operations in North and South America. My C.V. is attached as Brack Exhibit-1.

The Freeport-McMoRan operations in New Mexico operate under the umbrella of Freeport-McMoRan Copper & Gold Inc., a publicly traded company on the New York Stock Exchange (symbol FCX) and the largest publicly traded producer of copper in the world. FCX is a strong global organization with unwavering commitments to safety performance, support for communities where we live and work and excellence in environmental management. FCX understands the importance of operating in a safe and socially responsible manner because we are part of an interactive global community.



Through my testimony you will get an idea of the breadth of economic benefits enjoyed by the state and local communities directly and indirectly related to FCX operations.

adoption by the

I am presenting this direct written testimony in support of the Water Quality Control Commission's (Commission) adoption of the Proposed Copper Mine Rule presented with the Environment Department's Petition dated October 30, 2012 ("Proposed Rule"). Freeport-McMoRan will present several witnesses who will describe in detail the reasons why the Commission should adopt the Proposed Rule. My testimony is more general, and is intended to emphasize the importance of the

Commission's adoption of detailed and specific rules for copper mining to give the

objective result tany guidance it needs to make informed industry the certainty it needs to obtain investment for the industries' future in New hysiness and investment decisions that will affect the Mexico. My testimony provides an introduction into copper mining operations in New

Mexico, the applications of copper products worldwide and an understanding of what

goes into copper mine development and production. My testimony not only highlights

to provided by and
the enormous benefits provided by and through copper mining in New Mexico, but also

an overview of both the mine planning and result tory. Copper

gives a better understanding of the enormous costs associated with all aspects of copper mining from pre-production exploration to actual open pit production. If the Proposed Copper Rule is successfully enacted, as drafted, copper mine operators will be regulated

by the Environment Department and a host of other regulatory entities.

There are a myriad of Federal and State laws and regulations that constitute an overlapping, complimentary and comprehensive regulatory framework. Copper mine operators must interact with Federal entities like the Environmental Protection Agency and comply with laws like the Clean Air and Clean Water Acts. They must also interact with state agencies like The Environment Department, The Department of Energy,

Minerals and Natural Resources and the State Land Office, which means complying with the Mining Act and the State Land Office Mining Rules along with the Proposed Rule. Compliance with all of the applicable requirements can take more than ten years of planning, permitting and interaction just to begin production; this means ten-plus years of investment without a return on that investment. Once you grasp the enormous capital, operating costs and time associated with bringing production online or expanding production it will become apparent that there exists an undeniable need to bring some level of certainty to the permitting process.

FreeDort McMcRan

commodities. As discussed below, the global demand for copper has been steadily increasing as worldwide demand increases due to reliance on copper as the metal of choice for an increasingly electric-powered world. Freeport-McMoRan has a growth pipeline that extends over many years and that includes opportunities that we can pursue in New Mexico. For example, as of the end of 2011, the Chino and Tyrone Mines together had 110 million metric tons (MT) of mill ore reserves and 327 MT of leach ore reserves. The Cobre Mine has an additional 71 MT of leach ore reserves, which will require additional capital investment to bring into production. In addition to these reserves, which are estimated based on Securities Exchange Commission requirements and at a long-term average copper price of \$2.00 per pound, the Chino, Tyrone and Cobre. Mines collectively have an additional 275 MT of mineralized material recoverable as leach ore and 222 MT of mineralized material recoverable as mill ore based on a long-term average copper price of \$2.20 per pound—only ten percent higher than the price

used to estimate reserves. (See Excerpts from Form 10-K, 2011 Annual Report Pursuant

```
These reserves are estimated based on
   stundards established by the sewrities and
 Exchange Commission and at a long-term average copper price of $2.00 per pound. (Id. at 31.) at 32.
 to Section 13 or 15(d) of the Securities and Exchange Act of 1934, Brack Exhibit-2) The
 Our New Mexico properties have potential for
 Proposed Rule will help obtain the sustaining capital and new investments needed to take
  expansion of reserves with a change in projected
 full advantage of these mineral resources. copper price and additional
                                                               drilling. Ideat 38-39
        Copper prices have escalated substantially over the past ten years, from prices less
 than $1.00 per pound to the current price in excess of $3.50 per pound. See Brack
 Exhibit-2). Much of this increase is the result of substantial new demand from the
                                 but also because
 developing world, particularly China, During this period, supply has struggled to keep up
 with the new demand. The challenge – and this is one of the reasons that the copper price
 is so high – is that it takes considerable time to develop new sources of supply. The
 industry continues to face supply constraints including interruptions to existing
 operations and the challenges of bringing on new production because of a whole variety
                                       regulatory uncertainty, political uncertainty
 of issues – technical problems, cost constraints, environmental constraints, and so forth.
                                                             preproduction capitalis
 So the fundamentals of the copper market remain strong. But because permitting
                                                                              significant
                                                                                   and He
 processes are time consuming and can be uncertain (as is the current case in New
 Mexico) and community issues are ever-present and can be difficult to assuage, not to
 mention the high costs associated with engineering studies and construction cost
 escalation, we are forced to focus our efforts and investment dollars on projects that can
         with a reasonable degree of certainty. The goal of the Proposed
be successful. Rules, from my perspective, is to provide that reusonable desree of certainty by providing clear, specific and
       The Commission's current discharge permit rules provide little specific guidance objective
                                                                                guidance.
on the requirements that a permit applicant must satisfy in order to obtain a permit for a
                                                                               Mr. Eastep
                                                                               and the
new copper mine or an expansion at an existing mine. Consequently, mine operators
                                                                               other
currently are subject to an informal and subjective process that can and has changed
                                                                              Freepor
                                                                             witnesses
during different administrations based entirely on internal policy changes. Tens of
have provided testimony and can answer questions
regarding how the Proposed Rules compare to the
existing discharge permit regulations in providing a reasonable level of regulatory certainty.
```

insert in Air from P. 3 Nere millions of dollars must be spent before development of a new copper mine even begins.

Before a discharge permit is sought, a potential applicant must locate potential new mineral resources, obtain permits for exploratory drilling under the Mining Act, drill thousands of feet of boreholes at a current average cost of \$100 per foot, employ professionals to review drill hole data to assess potential resource size and accessibility, evaluate infrastructure needs such as water and power supplies and transportation, and collect environmental data and evaluate surrounding environmental and community based impacts. Only after all of this work and expense will a mine developer have sufficient information to determine whether mining even is feasible and to begin the can begin and permitting process, which typically involves multiple permit applications to multiple as well as

Obviously, before making this large investment, a prudent mine developer will need reasonable certainty regarding the requirements that must be met to obtain the necessary permits. Under the current rules, even if informal agreements are reached with the Environment Department regarding the anticipated requirements, at any point during this uncertain process, the acting administration could potentially delay the process or

In a worst case scenario, stop it completely. In that case, the mine developer would have spent tens of millions of dollars on a potential project that is not able to move forward change in philosophy about the mine developer had no At existing copper mines, we continue to conduct exploratory drilling to identify advance potential new resources and to expand mineral reserves. At these existing mines, we can understand well have in place

take advantage of knowledge of the ore deposits, existing infrastructure, and a trained already employ a trained work force in considering mine expansions. These factors give our existing mines a competitive advantage over greenfields mine developments in obtaining new investment

to maintain and expand production. On the other hand, mature, existing mines typically are faced with declining ore grades. Moreover, investments in mine expansion currently run into hundreds of millions of dollars, funding that is difficult to obtain without reasonable regulatory certainty. In its current form, the permitting process is constantly in flux, subject to an ever-changing political landscape with changing policies. The resulting this uncertainty makes investment in New Mexico relatively risky. We ask the Commission to take the politics out of the process and create a system that is based on a practical approach to mining, utilizing the best-proven technologies to maximize copper we ask the Commission to production, while minimizing impacts on ground water. But, most importantly, create a process that is stable and consistent.

II. ECONOMIC BENEFIT

To inform the Commission on the economic benefits that copper mining can provide to the State and local economies, I will give you a brief overview of the contributions Freeport-McMoRan is creating for New Mexico. Freeport-McMoRan employed approximately 1,601 workers as of January 2013 in New Mexico. The total direct and indirect impact of Freeport-McMoRan operations on the New Mexico

Economy was approximately 4,300 jobs. The total direct and indirect economic impact of Freeport-McMoRan operations on New Mexico in 2011 was \$326 million. See 2011

Economic Impact Report for Grant County and New Mexico, Brack Exhibit -3 Direct impacts include approximately \$154 million from operations and \$42 million from spending by employees and \$27 million from supplier purchases. There was an estimated \$55 million from spending out of state and local tax revenues and \$6 million in effects from spending from pension income. The economic benefits derived from Freeport-

McMoRan operations in New Mexico not only fuel local economies but thanks to the multiplier effect whereby infusions of extra income fuel spending and create further income, these effects extend across the economic landscape of New Mexico.

Freeport-McMoRan invests generously in the communities in which it operates, based on a set of guidelines designed to ensure that resources are used effectively to address high-priority needs and facilitate local capacity building to help build sustainable communities now and when our operations cease. The criteria supports our long-term goal of decreasing community dependency on our operations and ensure that we are entering into partnerships that support sustainability. We partner with non-governmental organizations, foundations and other community and government institutions globally to support community development initiatives. We have established community foundations or social funds in Indonesia, Peru, the U.S. and most recently in the Democratic Republic of the Congo to ensure that communities and local governments have a direct voice in how these funds are used. These community foundations and funds typically account for more than 50 percent of our annual community investment globally. Through philanthropy and volunteerism including our United Way Campaign, Freeport-McMoRan employees are also dedicated to making our communities better places to live and work.

In North America, we have established Community Investment Funds in communities near six of our operations. The Community Investment Fund in New Mexico was established in 2011. It is governed by a committee consisting of nine community leaders from diverse organizations and two Freeport-McMoRan New Mexico Operations representatives. The community leaders were selected by the Grant County Community Partnership Panel, which was established by Freeport-McMoRan three years

ago to foster open and ongoing dialogue with the community, allowing the company and the community to work together to identify priority community issues and develop thoughtful solutions that address them. Our giving from all of these sources last year was almost \$1 million and the projected giving in 2013 will be about \$1.1 million.

I will next discuss how copper and copper products are used in the modern economy, followed by a discussion of the mine exploration and development as well as providing a description of copper mining operations. To provide additional information, I am providing a video very recently produced by the Society for Mining, Metallurgy & Exploration and the Edison Technology Center entitled Copper in our Electrical World.

Brack Exhibit-4.

III. COPPER APPLICATIONS & INDUSTRY PRODUCTION

<u>COPPER APPLICATIONS.</u> The major applications of copper are in electrical wires (60%), roofing and plumbing (20%) and industry and machinery (15%). Copper can be combined with other elements to create various alloys. A small part of the copper production is used in production of compounds for nutritional supplements, creation of fungicides and even some anti-basterial compounds.

Electrical wiring constitutes the most prolific use of copper; while other elements are found in the industry copper's unique conductivity properties set it apart. Copper wire is used in power generation, power transmission, power distribution, telecommunications and countless types of electrical equipment. Integrated circuits and printed circuit boards increasingly feature copper in lieu of aluminum because of its

insert in Bil

Brack Exhibit-4 is a video produced for use by the Society of Mining, Metallurgy and Exploration, Inc. and is set to be unveiled and disseminated at its annual meeting on February 25, 2013. As a result, the video is under embargo until the aforementioned date. We will respectfully request that the Commission allow submission of this document after the annual meeting.

inser 11 B B

copper's end use markets and their estinated shares of total consumption are (1) construction, 33%; (2) electrical applications, 33%; (3) industrial machinery, 13%; (4) transportation, 13%; and 15) consumer productions 8%. Brock Exhibit Zat 3. I refer you to the video, copper in our Electrical World, Brack Exhibit 4, for a discussion of copper's use in modern électrical and other applications. This video discusses now copper has been used by man for 10,000 years because of its mallebility and its conductive properties. It describes now porphyry copper deposits were formed by nature and how copper minerals contained in rock are transformed into copper metal. It also addresses the two major processes used to form copper metal: hydrometallurgy and pyro metallurgy. Finally the video discusses why copper is the Superior material for electrical applications such as wires, motors and circuits and its other uses such as in plumbing and roofing.

conductive properties. Copper's greater conductivity as compared to other metallic materials enhances the electrical efficiency of motors. This is important because motors and motor driven systems account for nearly half of all global electricity consumption and more than two-thirds of all electricity used by industry.

Copper has been used since ancient times as durable, corrosion resistant and weatherproof architectural material. Throughout history roofs, spires, domes and doors were all constructed with copper. Architects and designers long coveted the metal's distinctive natural green patina.

Copper is also used to line parts of ships to protect the underlying surfaces from barnacles and mussels because the metal is biostatic and bacteria will not grow on biostatic surfaces. Copper alloys also have intrinsic properties that destroy microorganisms including staphylococcus and influenza. For this reason, we have a seen a proliferation of cooper inside the home and hospitals, which can be directly traced to these anti-bacterial properties. We now see sinks, handrails, faucets, doorknobs, toilets and even healthcare equipment with copper components.

Perhaps the most exciting application for copper was announced by President Obama in the State of the Union Address in which the President called for Americans to work towards "a future where we are in control of our own energy, and our security and prosperity aren't so tied to unstable parts of the world." This charge was directed at the emerging renewable energy markets. Copper plays a vital role in sustainable electric energy, increasing the efficiency and reliability of wind and solar installations and their related power transmission systems. While renewable energy resources are generally not particularly efficient, for instance, the generation of electricity from renewable energy

(xer


insert in on page 9

See Copper Essential for Green, Stephen T. Higsins, May 12,2010 (Brack Exhibit 5). For example, wind turbines and photovoltuic cells used for electric generation rely heavily upon copper. Id. at 4-6. The use of copper to upgrade the electrical grid, to build more energy efficient transformers and motors, and to construct green buildings can save energy and reduce carbon dioxide emissions. Id. at 8-11. More copper is used in hybrid and electric remides compared to gasoline powered vehicles. and these vehicles reduce emissions. Idat 12-13. autimicrosical applications are a new market for copper. Id at 14.

resources such as wind, solar and geothermal has a copper usage intensity that is typically four to six times greater than fossil fuels ("copper usage intensity" is an estimate of the pounds of copper necessary to install one megawatt of new power generating capacity). Thus, although wind, solar and geothermal systems are inherently inefficient copper wiring can abate some of those deficiencies by conducting the electricity more efficiently. In fact, copper will remain an integral part of any renewable resource proliferation. *See* Copper Essential for Oreen, Stephen T. Higgins, May 12, 2010, Brack Exhibit-5.

WORLDWIDE APPLICATIONS. Rapid growth in developing nations has generated an incredible need for copper. As previously stated, copper is an essential ingredient in everything from power lines and piping systems to automobiles and consumer electronics. Many countries around the world are in the midst of an historic urbanization and industrialization boom. In fact, China is probably the most graphic illustration of how copper demand is increasing exponentially. The country now consumes roughly forty percent (40%) of the approximately sixteen million tons of copper mined every year.

Global Copper Consumption



Source: World Bureau of Metal Statistics

It is conceivable at this rate of growth and consumption copper will become scarcer and scarcer. By 2020, global consumption is predicted to double and U.S.

Geological Survey USGS researchers have estimated that firms would have to bring 35 new copper deposits online in the next decade to meet demand. It is important to note that alternatives are relatively unavailable. (See Copper Development Association, Annual Data Report, 2012, Brack Exhibit-6). Aluminum can be used as an alternative for electric cables, but in addition to being less efficient, it can be more dangerous. Many building codes specifically ban aluminum for this very reason.

WORLDWIDE PRODUCTION. The chief producers of copper are Chile, the United States, Australia, China and Peru. However, only 56 new copper discoveries have been made during the past three decades, and 21 of the 28 largest copper mines in the


copper consumption has begon rising over the last decade due in Harge part to grow the of moder consumption in Asian Esict. The figure

below shows an even more dramatic increase in world copper mine production over the last century to meet increasing

world are not amenable to expansion. Furthermore, many large copper mines worldwide could be exhausted by 2015. Thus, as copper consumption is increasing, the quantity available is arguably insufficient to allow all developing countries to reach developed status with regard to copper applications. (See USGS Copper Statistics Information,

Mineral Commodity Summaries 2013, Brack Exhibit-7)

demands and new applications for copper.



Source: International Copper Study Group

AND NEW MEXICO

<u>U.S. PRODUCTION</u>. Gopper mining has been a major industry in the United

States since the rise of the Northern Michigan copper district in the 1840's. The principal

mining States, in order of descending production, are Arizona, Utah, New Mexico,

USGS Copper Statistics Information, Mineral Commodity Summaric.

Nevada and Montana. The mines in these States together accounted for 99 percent of

Id.

domestic production. The primary source of copper mines in the United States is

Exhibit 7)

at 48.

porphyry copper deposits. Porphyry copper deposits consist of disseminated copper ores

continues to play a significant role, with a history of copper production in the Land of Enchantment that can be traced buck to 12 premistoric times. For a detailed history of copper production in the copper production in New

Mexico, I refer you to the paper "copper in New Muxico" by Virginia T. Mclemore, New Mexico Bureau of Mines and Minerals Resources,

to moderate grade ores. Despite their relatively low grades, porphyry copper deposits are the most significant source of copper due to their massive scale. Porphyry copper mines are typically mined for many years due to their size.

NEW MEXICO PRODUCTION. Copper has been produced in New Mexico since prehistoric times. Native Americans used copper for ornaments and tools and an Apache led Spanish officers to copper deposits in Santa Rita and production began in earnest in 1804. Copper production fell off because of increasing costs, difficult transportation and decreasing demand. Eventually, copper production in New Mexico ceased altogether when the mines were closed in 1834. When the New Mexico territory became part of the United States in 1848, gold and silver mining began. Numerous districts were discovered and mined for precious metals. Copper was recovered whenever possible. However, production ceased again when the Confederate Army invaded New Mexico in 1862. The end of the Civil War brought tremendous change to mining in New Mexico. Settlers and prospectors fled the war torn east to start new lives in the West. Prospectors from California's gold rush moved east to New Mexico when claims dried up out west. Soldiers were sent west to settle the territories and later became prospectors themselves. New metallurgic techniques were developed and copper became an important commodity. New Mexico became a State in 1912 and in 1914 World War I began. Metal prices and production increased, as metals were needed for the war effort. In 1918, the war ended and the ensuing economic depression forced many mines to close. New selective-floatation copper extraction techniques were invented in the 1920's that improved recovery of massive lead and zinc sulfide ore; copper was recovered as a byproduct. World War II saw an increase in copper production, as it was again necessary

published in New Mexico Geology (May 1996e) (Exhibit Lande-5). for the war effort. Copper prices steadily increased and copper production from the porphyry copper deposits steadily increased in turn. In the 1980's, solution extraction-electrowinning (SX-EW) technology was developed that enabled economic recovery of high-purity copper from very low-grade copper deposits. Today, two properties are in production with copper as the primary product here in New Mexico; the Tyrone and Chino Mines. *See* New Mexico Energy, Minerals and Natural Resources Division, 2011 Annual Report, Brack Exhibit-8

IV. STAGES OF MINERAL EXPLORATION

So much goes into mining a specific site prior to extraction – not merely time and monetary expense (although both are significant). Scientifically, merely finding and evaluating a site is an incredible endeavor. As discussed in detail below, the process from area selection through target generation and resource evaluation and definition costs tens of millions of dollars. After the potential for a copper mine is determined, the path to production has only begun, as a mine developer then must go through an arduous permitting process before extraction can begin and the developer can begin to recover on the investment. Thus, as an industry, the upfront costs are enormous; as a result, creating a regulatory structure that is criteria based and not subjective is incredibly important to preserve copper mining in New Mexico presently and into the future.

AREA SELECTION. This is a crucial step in mineral exploration that incorporates applying the numerous theories behind ore genesis, the knowledge of known ore occurrences and the method of their formation, to known geological regions. We use that information to determine potential areas where a particular deposit might exist based on basin modeling, structural geology, geochronology, petrology and a host of

The steps required to identify, define, assess, permit and develop a new woper mine are as follows:

Geologists apply information on how ore bodies are formed, information on known: occurrences of mineral deposits and other information to identify areas that potentially could geophysical and geochemical comparisons. Our scientists then draw parallels from past exploration and make predictions about the viability of a region. These predictions take into account not only the size and accessibility of a resource but factors like deposits infrastructure, location, transportation and market. These are all factors that go into cost worth investino of production and the economics of sales. There may be other factors like financial and in exploration tax incentives, and finally the cost associated with reclamation and potential permitting processes. All of these factors are considered and an enormous amount of money is expended prior to any permitting and years before any potential income is possible or realized. The longer the lead-time in getting permits the more adverse an impact on the economic potential of the mineralized zone.

TARGET GENERATION. This is the investigation phase of siting a copper mine by utilizing geology, geophysics and geochemical processes to map and assess a particular resource. Geophysical instruments used to measure variations in gravity, magnetism, electromagnetism and many other variables. The most common way to conduct a geophysical survey is aerial monitoring. Magnetometers are attached to airplanes and flown over potential resources. The magnetometers search for magnetic anomalies in the Earth's magnetic field. These anomalies indicate potential concentrations of magnetic minerals like copper. Ground-based geophysical surveys may also be utilized to evaluate a resource but they are less efficient and more costly and thus less widespread. Aerial photography is also a useful tool in assessing possible mineral resources by identifying host rock formations, major structures, historic workings, and mineral alteration zones. It gives the surveyor valuable siting information like tracks, roads, fences and habitation. Since the advent of satellite imagery and through advances

observations, and geochemical sampling.


exploration targets are identified through airborne geophysical surveys and photography. That may be

in technology, we can now use spectroscopes in areas with little vegetation to map mineral deposits as well. Geochemistry is used to assess the mineral potential in geological formations by comparing the background concentration of minerals with concentrations measured in known mineral deposits. Geochemists can take samples of the rock in the exploration target and analyze the data for elevated concentrations of mineral and metal anomalies (single or multiple elements) that may be related to the mineral sought.

RESOURCE EVALUATION. If the exploration target shows potential, and most been do not based on the financial risk associated with the political climate, commodity prive was to some and access to infrastructure, the decision may be made to more aggressively explore a potential site to quantify the grade and tonnage of the targeted mineral. This is achieved me existence by drilling and sampling the prospective lode or strata with the ultimate goal being to concentra determine if there exists a resource density sufficient to warrant the cost of production. tion of Resource estimation may require pattern drilling on a set grid and down-holo probing of coperdrill holes to determine ore body continuity. The aim of resource evaluation is to assess Minerals If and hopefully expand the known size and ore grade of a deposit. A scoping study is often Warranted carried out on the ore deposit at this phase of exploration to determine if there is enough in the results ore at a sufficient grade to warrant the cost of extraction. As a company, FCX is additional projected to spend \$235 million worldwide in 2013 on exploration. Approximately 20% drilling isconducted of this will be spent in North America

At this stage, initial assessments are mode regarding the potential cost To produce copper, such as the cost of building new infrastructure (roads, power, workforce housing, etc.), the methods and cost of hining (underground versus open pit), and the methods and cost of ore processing and shippins.

insell in D" or puse



resource into an ore reserve, which is an economic asset. The process is similar to resource evaluation, except more intensive and technical, aimed at statistically quantifying the grade continuity and mass of ore. Reserve definition also takes into account the milling and extractability characteristics of the ore, and generates bulk samples for metallurgical test-work, involving crushability, floatability and other ore recovery parameters. During this phase, engineers will look at the geotechnical stability of the resources and determine the potential instabilities of open pit or underground mining methods. At the end of the process, a feasibility study is published, and the deposit will be deemed economically viable or unviable. At this stage, a mine developer

Inser!

may estimate the mineral resources and ore reserves. "Mineral resource" is the

insert on 17
page 17

If the resource evaluation stuse identifies the potential to produce copper at a profit, the next stase is reserve definition. At this stage, additional drilling is conducted to define the one body in accordance with established guidelines accepted in the financial community as to drill hole spacins and verification of analytical results. Testing is done to verify projected copper recovery usins different methods of crushing, concentrating, or hydro metallursical methods. Geotechnical and Mining engineers evaluate mining methods, including underground versus open pit methods, and estimate volumes of overburden and waste rock generated during mining and related costs. This process produces a feasibility study identitying ore reserves, or the amount of the mineral resource that can be produced at a profit. Based on a fecesibility study and definition of ore reserves, a mine operator can proceed to seek permits and to obtain the financing reeded to develop a new mine or wine expansion.

determined concentration of mineralized material. "Ore reserve" is a mineralized resource that can be that can be extracted into a viable form at a profit.

GREENFIELDS & BROWNFIELDS. These are industry terms that simply refer to the state of the target land and the extent to which previous exploration has been project is one located at a siknot conducted. Greenfields refers to pristine undisturbed land that has not been previously mined. "Brownfields conversely alludes to land that has been trodden on repeatedly. The a previously or correctly. general meaning of Brownfield exploration is exploration conducted within geographical mine of site. Such terrain within close proximity to known ore deposits and Greenfields constitute the a project remainder. Greenfield exploration has a lower strike rate, because the mineral potential include an evaluation is poorly understood. Consequently, Greenfield exploration is more conceptual, of mine and milleypansions to speculative and inherently risky. increase production rates atan existing mine Greenfields projects EXTRACTION. Extraction methods may vary considerably and engineers will tend to ultimately analyze a site and determine the most safe, cost effective and efficient method be more Speculatur of mining, be it underground or open pit extraction methods. Mineral exploration does tuan not cease with the decision to mine. Exploration of a Brownfields nature is conducted to brown fields find near-mine repetitions, extensions and continuity of the existing ore body. In-mine sites exploration and grade control drilling is a major concern of operating mines and can be becouse an effective tool in adding value to existing mineral operations. Lessons learned from of the greater availability studying an exposed ore body, both empirically and scientifically, are invaluable to exploration geologists and geophysicists as the exact nature of the ore body may not exactly match the models used to define it recovery REGULATORY POLITICAL RISKS. This is one of the most unpredictable factors when it comes to potential mining production. Even if a commercially viable deposit exists, political,

whether to invest in a copper mine development

is regulatory risk.

Rields site.

insert in D" from page 17 here implementation of regulations of regulations and in change as the leadership I in regulatory is a sencies w

environmental and social factors may make the discovery and development of the resource impractical or potentially impossible. This is a complicated topic because approvals.

administrations can change after each election bringing in new policy advisors and new ideas. A change in government may mark a new period of support for mineral exploration or usher in a culture unfavorable to the development of mineral resources or in some cases ideologically opposed. These new ideas make their way through various agencies in many different forms, in some cases new policies are introduced, different regulatory structures may be implemented or, like in the present case, new rules are promulgated.

The Proposed Rule has components from industry, some from environmental groups and ideas from the current administration. It is a result of a melding of pro-business policies

with environmental protection. In its proposed form, the Commission's adoption of the Proposed Rule will promote business investment in New Mexico and, along with the Mining Act requirements, remain the most comprehensive set of copper mining regulations in the United States. But, most importantly, it would create a more stable and consistent environment for current and future copper mining operations.

for some design flexibility. A subjective variance process, while not in place historically, established over the lost decade, was imposed during the prior executive administration, to require variances in cases where groundwater might be impacted above ground water quality standards. To obtain a variance, a permit applicant must convince the Commission that compliance with a particular part of the regulations is an "undue burden." 20.6.2.1210 NMAC. Regulating through the exercise of nearly through variances and depending on receiving them, when they are subject to the whims of ever changing administrations that can be and often are highly influenced by outside complete discretion by resultators, even the

insold or or

By this I mean that the Proposed Rule leaves less room for a wide range of interpretation after the regulations have interpretation after the regulations have been adopted, favoring instead a more quantitative, precise and transparent specification of requirements in the regulations themselves. From a whiness perspective the goal is to have fewer unknowns or interpretive inconsistencies imbedded in the inconsistencies imbedded in turn leads regulatory text. This in turn leads regulatory text are open-ended regulatory rather than open-ended regulatory rather than open-ended regulatory

entities, are not an effective way to provide certainty and foster long term investment to inclus try.

In place of a very subjective variance process, the Proposed Rule would establish

to protect ground water

specific, environmentally protective requirements, that reflect practical operational

criteria. The Proposed Rule largely codifies requirements imposed by the Environment

Department through conditions in discharge permits issued under the Water Quality Act

as described in the testimony of Messers. Easter and Shelley and
over the last 30+ years. The existing rules provide broad discretion to the Department to
establish permit conditions. The Proposed Rules would narrow that discretion, but still

would provide some flexibility to vary from specific design requirements as long as
objective performance criteria, such as achieving the same or better performance than the
specified design, is demonstrated to the Department's satisfaction.

Under the variance approach advocated by some parties to this proceeding, due to the subjective standard to grant a variance, one administration might grant a variance when groundwater is affected and another might deny the exact same request under identical circumstances. It is fundamentally unfair to ask anyone to operate in such an environment. The Proposed Rule would eliminate the variance process for routine operating matters, which will create a uniform operational environment and remove politics from the process. The Proposed Rule would establish consistent protective standards for our environment and establish consistent operating standards for the copper industry. It does not remove standards, but creates a consistent and clear process by which existing and potential copper mining operations can operate.

V. OPEN PIT VERSUS UNDERGROUND MINING

Open-pit mining is a method of extracting rock or minerals from the earth by breaking, loading, and removal of ore and waste rock in the development an open pit or borrow. This form of mining differs from extractive methods that require tunneling into the earth also known as underground mining. Open pit mining methods are used when large volumes of disseminated minerals are found generally near the surface of the earth Parts of an open pit deposit may be exposed while other parts can be buried by hundreds of feet of overburden. In mining stripping ratio refers to the ratio of the volume of overburden (non-mineralized or uneconomical material) required to be removed to extract the ore. For example, a 3:1 stripping, ratio means that mining one ton of ore will require mining three tons of waste rock. Mining at a higher stripping ratio is less economical than mining at a lower stripping ratio because more waste must be moved (at a cost per ton) for an equivalent ton of revenue generating ore. This is a key metric in determining the viability to open and ongoing operation of a mine.

Underground mines are typically developed in high-grade vein or structurally controlled deposits where the host rock is stable using underground mining methods.

Many of the near surface underground mines have been played out so more commonly underground mines now occur 1,000's of feet below the surface of the earth to follow vein controlled ore zones where excavating large volumes of waste rock would not be economical. When compared to surface mining, which requires overburden removal prior to ore extraction, underground mining operations tend to have lower stripping ratios due to increased selectivity. However, the challenge for underground mines is moving

large volumes of material, because the larger equipment associated with open pit mines is not feasible.

Open pit mining requires the breaking and removal of waste and ore rock in rock levels or benches, starting at the surface and stair stepping down resulting in an open pit that resembles an inverted cone. The inclined section of the stepped walls is called the face or high wall and the flat part of the step is known as the bench. The bench area is used as the surface to mine from and prevents rock falls from spilling down the entire face of the wall. The mine and bench sizes vary based on the economics and the mine development schedule. The equipment fleet and associated facilities (stockpiles, tailing dams, concentrator mill, electro-winning/solution extraction plant) are also evaluated based on similar criteria. The steeper the high wall the smaller the footprint of the mine, because a lower volume of material will be moved. However, the bench stability, which must be maintained in an active mine, is controlled by bench height, static load, rock type, and geologic structures, like faults and fractures. Therefore most open pit mines are excavated on an angle that is sloped rather than vertical (90 degrees) for personnel safety and to minimize the damage to equipment and facilities from rock falls.





The Santa Rita Pit at the Chino Mine

In some instances additional ground support is required and rock bolts, cable bolts and shotcrete are used to stabilize a bench. Another common tool used at many mines is dewatering the high wall using a series of horizontal wells. This process has been shown to reduce rock slippage by drying the rock and reducing water pressure against the high wall.

A haul road is used to transport rock from the pit to the appropriate processing facility based on grade and mineralogy. They are continually maintained to ensure safe driving condition, minimize dust and reduce tire wear. The ore and waste rock stockpiles are tiered to create a stable configuration.

An ore body is exhausted when it cost more to mine than is profitable. Over time, metal prices fluctuate resulting in mine expansions, temporary closures, and ultimately final closure. Final closure triggers the culmination of a reclamation plan.

insert insert insert

VI. COPPER MINE DEVELOPMENT & COPPER PRODUCTION Drilling Loading Crushing Concentrating Smelting Refining & Conveying A Hauling Conveying

Extraction

Electrowinning

To Market

Leaching

MINE PLANNING. Mine planning occurs at different stages of production and is a constant factor in operations. Long range planning is an assessment of the life of a mine used to justify the initial investment and assess future options. This investment is substantial; each stage prior to extraction must be evaluated. The initial costs beginning with exploration and moving through permitting and equipment purchasing will require an upfront investment of tens if not hundreds of millions of dollars. For instance, one large truck used to transport ore costs upwards of three million dollars and a single shovel used to remove ore can cost in excess of twenty five million dollars. Once the incredible upfront costs are evaluated, the need for transparency and certainty in the regulatory process is obvious. Medium range planning looks at quarterly and annual reports up to five years in the future to determine operating budgets and quarterly forecasts. The shortrange plans are the most detailed and are used for daily operations. These plans may be updated due to equipment or processing problems. A temporary and permanent mine closure plan is developed and is updated every five years and financial assurance is put in place to ensure reclamation can begin as soon as the mine reserve is exhausted.

insert 25

OPEN PIT VERSUS UNDERGROUND MINING: MINING may be conducted by open pit or under ground mining, open pit mining typically is the Preferred economic means to access large relatively necer-surface, and disseminented ore bodies, whereas underground mining can be used to mine high grade vein or structurally controlled copper deposits or very deep deposits where open pit mining would not be economical. For an open pit mine, the "stripping ratio," or the relative volumes of overburden and waste rock to ore, as well as the distance that materials must be housed, are key economic factors. To minimize the stripping ratio, pit walls are excavated to the stee pest possible slope consistent with maintaining stable pit walls for worker safety.

insert "H" here

BLASTING. On a daily basis, rock containing copper ore and waste rock is systematically blasted in manageable blocks sizes using a mixture of ammonium nitrate and fuel oil (ANFO). Enormous shovels powered by electricity then excavate the broken rock. A typical P & H 4100 shovel bucket can hold 65 cubic yards and can fill a Caterpillar 793 haul truck in three to four scoops. Each of the 793 haul trucks can carry 265 tons of rock up the 10% grades of the haul road's for placement on leach or waste the primary crusher that rock stockpiles or to feed the Concentrator.

OVERBURDEN/WASTE ROCK. Normally, an operator must remove hundreds of feet of overburden or waste rock to get to the mineralized ore underneath or adjacent to the ore on a bench. This waste material is then set-aside in huge piles. The stripping ratio, as discussed earlier, of waste rock to ore can varies over the life of the mine. The In addition to the strip ratio, the elevation change higher the "stripping ratio" the higher the operating cost of the mine. It is important to which note that among the other Freeport copper mines, the Chino and Tyrone Mines are two of determines havidistance and the cost of commodities such as acid and diesel the more expensive mines to operate.

fuel can significantly affect the

operating

cost

This

process is illustrated

in the

Video

our

Electrical

Exhibit-4.

nineral

solution.


<u>LEACHING</u>. In general, this process is used to extract copper exide and silicate ore like/malachite, chrysocolla, and azurite. Once the ore is mined it is placed in a leach stockpile and the copper is removed using a leaching process. Leaching uses fluids (or raffinate) to liberate the ore from the waste rock. Oxide and sulfide ores are generally processed differently, so in the truck loading and dumping process they are separated and transported to sent to different extraction facilities, if a Concentrator is available. The oxide ore requires " Copper in the addition of a diluted sulfuric acid solution (0.3 to 0.6 %) to dissolve the copper. It is important that the oxygen supply is present during the leaching process to keep bacteria world," in the sulfide ores alive and active. The bacteria accelerate the oxidation and leaching

process. Too much acid would destroy the bacteria as well as increase production costs. As a result, the oxide ores leach much faster than the sulfide ores. A more effective extraction process for copper sulfide ore (chalcopyrite) is the concentrator extraction process described below. The leach stockpiles are constructed in thirty (30) to fifty (50) feet high "pads" or "lifts". As each level is built, a network of plastic tubing and drip systems or sprinklers is spread over the top of the pad to deliver a slightly acidic solution called raffinate. The raffinate percolates through the ore dissolving the copper into solution. This copper-laden water is called a pregnant leach solution (PLS) and it exits the stockpile and flows into collection sumps or tanks. Depending on the amount of iron, the copper enriched solution can appear light blue to brownish red in color. From there it is pumped to a solution extraction plant. Once the copper is removed from the PLS, the raffinate is recycled.

SOLUTION EXTRACTION (SX). Solution extraction is the lowest cost method available for producing copper metal that is over 99.99% pure. It is a selective separation process for isolating and concentrating copper from a water-based solution and is performed in three stages as identified in the diagram below. In the process, the PLS that has leached through the stockpiles contains a low concentration of copper along with other dissolved substances. This mixture is then infused with organic reagents. The copper reacts with the reagent to form a more soluble chemical compound and thus the copper is transferred to the organic solution. In order to recover the extracted copper, the organic solution is mixed or stripped with an electrolyte solution to create a chemical bond between the copper and the electrolyte. In this way, the copper is split from the

reagent and what attaches to the electrolyte is copper in a concentrated form. Once the copper is removed the organic solution is recycled for future extraction.





ELECTROWINNING. The concentrated copper solution (rich electrolyte) is sent to an electrowinning tank. The rich electrolyte flows through deep rectangular troughs called "cells". Each cell is comprised of multiple lead anodes and copper cathodes.

Cathodes are sandwiched between anodes less than an inch apart. The cells are electrically charged using direct current (DC). In a cell electrons will travel from the positive (+) charged anode then through the copper enriched electrolyte and then to the negative (-) cathode. As the current moves through the solution, copper is deposited on the cathodes. Within seven days the original cathodes that initially weighed fifteen

pounds each will grow into two hundred pound cathodes. The cathodes are removed and stacked into five thousand pound bundles ready for transport.








chalcopyrite, bornite and chalcocite from the gangue rock. Chino operates a concentrator since that ore type occurs in abundance at the mine; while Tyrone currently mines mostly in the oxide oxide material. The Tyrone concentrator was demolished and the area reclaimed after the "Copper depletion of the sulfide ore body. The first step in concentrator copper ore extraction is to mineral bearing crush the ore rock. The next step is to wet grind the ore rock, which is done in big canisters (Ball Mills) filled with metal balls and water. It is like a huge rock tumbler.

The material is then put into a hydrocyclone, which spins the material using centrifugal force (controlled tornado) to separate the large particles, which fall to the bottom from

the smaller particles that rise up spin and separate. The smaller particles go on to the next

stage of grinding for further size reduction. After this milling process is complete, the and small amounts of reasents to enhance the flotation are wet slurry is pumped into a floatation separator. In this machine air is injected through the slurry to make a frothy foam. The copper mineral particles cling to the air bubbles and the waste rock or tailings sink to the bottom of the separator. The copper laden froth is skimmed from the surface of the slurry, reground, and floated several times to allow



Following the concentration process, the solids are filtered into a final product that contains 30-40% copper and either transported by rail or truck to a smelter. The tailings, which are in an approximately 50% solids form, are carried by slurry to a tailing dam and deposited on the crest. The solids settle out and the water flows to the center of the dam and is decanted and then pumped back to the concentrator for reuse.

SMELTING AND REFINING. Copper concentrates produced from a concentrator are sent to a primary copper smelter. In very basic terms, copper smelting involves heating the concentrator to a very high temperature where the concentrate is melted in a large furnace and stratifies into layers based on the densities of the various constituents in the concentrate and the additions of silica and lime. Off-gases composed largely of sulfur dioxide are collected and converted into sulfuric acid in an acid plant. Molten copper is separated from the impurities, which are removed from the smelting process and allowed to cool into "slag." The molten copper is poured into molds to form copper anodes.



Copper anodes are approximately 98-99% pure and are sent to a copper refinery for further purification by dissolving the anodes and reforming them by electrolysis into pure copper cathodes. The impurities in anodes contain precious metals and other elements that are recovered in the refinery.

WATER AND COPPER MINING. Water is incredibly important to copper mining and is a coveted resource everywhere. From the first stages of mining, water is used to control air quality and maintain roads and it is used in many of the copper mining processes including ore concentration and leaching. Once the water is utilized for the specific mining purpose great efforts are taken to recycle this valuable resource. This is done to increase efficiencies, but just as importantly, as part of our resource stewardship effort and another way that we act as good community partners.

VII. CONCLUSION

Through this testimony, I hope I have expressed the key reasons why the Commission should adopt the Proposed Rule with specific changes proposed by Freeport-McMoRan's testimony. Adoption will promote continuation of current operations and promote expansion of the copper industry in New Mexico by providing reasonable regulatory certainty. I also hope to have introduced you to the key elements of the copper production process to assist in your understanding of the technical aspects of the Proposed Rule and the technical testimony presented by the other witnesses.

Again, I encourage the Commission to adopt the Proposed Rule after you are satisfied that they meet the requirements of the Water Quality Act to protect ground water quality. Thank you for your time.

John Brack

insert "1" 31 or P. 31

CLOSURE AND RECLAMATION: A COPPER mine will be considered for closure when there is no more one than can be mined and processed at a profit. Because both metal processes and costs fluctuate over time, closure and reclamation may be postponed to maintain access to mineral resources that may be profitably mined in the future. Unused portions of an active mine also may be considered for closure and reclamation. Over the last ten years, substantial closure and reclamation work has been conducted at our New Mexico mines, as discussed in more deteril in Mr. shelley's testimony.